



Prague Dependency Treebank (vs. Functional Generative Description) and HamleDT Family

Markéta Lopatková

Institute of Formal and Applied Linguistics, MFF UK

lopatkova@ufal.mff.cuni.cz



Prague Dependency Treebank

~ application of the FGD theory on the large set of Czech data

<http://ufal.mff.cuni.cz/pdt2.0/>

<https://ufal.mff.cuni.cz/pdt3.0/>

1. data

2. tools

3. documentation:

- Guide, <http://ufal.mff.cuni.cz/pdt2.0/>
- manuals for individual layers
<https://ufal.mff.cuni.cz/pdt3.0/documentation>
- survey of data formats and tools
- releases: 2.0 (2006), 2.5 (2011), 3.0 (2013)



Prague Dependency Treebank (cont.)

4 layers:

- word layer (w-layer)
 - morphological layer (m-layer)
 - analytical layer (a-layer)
 - tectogrammatical layer (t-layer)
- layers of annotation*

layers of description	t,a,m-layer				a,m-layer
	train	dtest	etest	total	total
# documents	2 536	316	316	3 168	2 170
# sentences	38 737	5 228	5 477	49 442	38 538
# tokens	652 700	87 988	92 669	833 357	671 490

Prague Dependency Treebank (cont.)



- stand-off annotation
- manual annotation
 - with a massive post-annotation consistency checking
- formats and tools:
 - TrEd ... tree editor and viewer (Pajas, xxxx)
<http://ufal.mff.cuni.cz/~pajas/tred/index.html>
 - PML data format (XML-based format)
<http://ufal.mff.cuni.cz/pdt2.0/doc/data-formats/pml/index.html>
 - PML-TQ ... search tool
<http://ufal.mff.cuni.cz/~pajas/pmltq/>
- more during the practical sessions



PDT: w-layer

- layer of source texts (1991-1995)
 - Lidové noviny (daily newspapers)
 - Mladá fronta Dnes (daily newspapers)
 - Českomoravský Profit (business weekly)
 - Vesmír (scientific journal)
- part of the Czech National Corpus
- a sequence of ***tokens*** (word forms and punctuation marks)
- including errors, typing errors, bad segmentation, ...



PDT: m-layer

- the sequence of tokens divided into sentences
- errors are corrected
- annotation:
 - ***morphological lemma***
 - ***morphological tag***
 - id
 - reference to w-layer
 - form (corrections: spelling errors, incorrectly split or joined words, ...)
- manually annotated (parallel annotation)



PDT: m-layer

Některé kontury problému se však po oživením Havlovým projevem zdají být jasnější .
[Some contours of the problem seem to be clearer after the resurgence by Havel's speech.]



Form	Lemma	Morphological tag
<i>Některé</i>	<i>některý</i>	PZFP1-----
<i>kontury</i>	<i>kontura</i>	NNFP1----A---
<i>problému</i>	<i>problém</i>	NNIS2----A---
<i>se</i>	<i>se_</i> [^] (zvr._zájmeno/částice)	P7-X4-----
<i>však</i>	<i>však</i>	J [^] -----
<i>po</i>	<i>po-1</i>	RR--6-----
<i>oživení</i>	<i>oživení_</i> [^] (*3it)	NNNS6----A---
<i>Havlovým</i>	<i>Havlův_</i> ;S ₁ [^] (*3el)	AUIS7M-----
<i>projevem</i>	<i>projev</i>	NNIS7----A---
<i>zdají</i>	<i>zdát</i>	VB-P---3P-AA---
<i>být</i>	<i>být</i>	Vf-----A---
<i>jasnější</i>	<i>jasný</i>	AAFP1---2A----
.	.	Z:-----



PDT: a-layer


- dependency tree
- one token from m-layer ~ one node incl. prepositions, punctuation ... plus technical root
- relations ~ edges
 - dependency, coordination, punctuation, ...
- linear ordering ~ surface word order
- annotation:
 - ***analytical function*** (afun)
 - ***linear order***
 - is_member
 - is_parenthesis_root
 - id
 - reference to m-layer

} coordination, apposition, parenthesis

PDT: a-layer

Některé kontury problému se však po oživení Havlovým projevem zdají být jasnější.

[Some contours of the problem seem to be clearer after the resurgence by Havel's speech.]





PDT: t-layer

- **tectogrammatical tree structure ~ dependency tree**
 - nodes for auto-semantic/lexical words only
syn-semantic/functional words as attributes of lexical words
(plus technical root)
 - ellipses as nodes
 - edges ~ relations (dependency, coordination, others)
 - link to a valency lexicon for verbs and (certain types of) nouns
- **topic-focus articulation (TFA)**
 - linear ordering ~ deep word order
 - contextually bounded and unbounded nodes
- **coreference**



PDT: t-layer (basic attributes)

- tectogrammatical tree structure
 - **t-lemma**
 - **functor**
 - **grammatemes** (16 attributes starting with the prefix gram)
 - is_member
 - is_parenthesis_root
 - id
 - reference to a-layer
 - ...
- topic-focus articulation (TFA)
 - deepord
 - tfa
- coreference
 - coref_text.rf
 - coref_gram.rf
 - ...


PDT: t-layer



Některé kontury problému se však po oživení


Havlovým projevem zdají být jasnější .

[Some contours of the problem seem
to be clearer after the resurgence
by Havel's speech.]




Linking the layers

- references **from a higher layer to a lower layer**:
 - t-layer → a-layer
 - a-layer → m-layer
 - m-layer → w-layer
- **1:1** correspondence between nodes of the ***m-* and *a-layers***






PDT: Division of the data to layers





In94206_1.m.gz + In94206_1.w.gz	In94206_1.a.gz	In94206_1.t.gz
In94206_2.m.gz + In94206_2.w.gz	In94206_2.a.gz	In94206_2.t.gz
In94206_3.m.gz + In94206_3.w.gz	In94206_3.a.gz	In94206_3.t.gz


PDT: Division of the data into training and test sets




PDT: Number of tokens from the particular sources









Návštěvy kin a divadel patří mezi méně časté aktivity mladých lidí v České republice.
 [Attending cinemas and theaters belongs to less frequent activities of young people
 in the Czech republic.]



Český
 f_RSTR
 adj.denot
 pos.neg0





AuxI



*Podle slov prážského primátora Jana Koukala
by tato čtvrt' měla vzniknout během roku a půl.
[In the words of the city's mayor Jan Koukal,
this quarter should arise in a year and a half.]*

Společnost vyrábí model Charade japonské automobilky Daihatsu, který je v Číně používán mimo jiné jako taxi.

[The company produces the Charade model of the Japanese car factory Daihatsu, which is used in China also as a taxi.]





Other treebanks: Prague dependency family

Czech:

Prague Dependency Treebank and Discourse Treebank

1.0 (2001); 2.0 (2006); 2.5 (2011); 3.1 (2013) (2016)

<http://ufal.mff.cuni.cz/pdt2.5/>

Czech Academic Corpus 1.0 (2006), 2.0 (2008)

<http://ufal.mff.cuni.cz/rest/CAC/doc-cac20/cac-guide/eng/html/index.html>

- morphological annotation (652 000 tokens, 32 000 sentences)
- analytical annotation (493 000 tokens, 25 000 sentences)
- both written and spoken language
- manually annotated

Czech Legal Text

Prague Dependency Treebank of Spoken Czech (morphological)

<http://ufal.mff.cuni.cz/pdtsc1.0/en/index.html>




Other treebanks: Prague dependency family

Prague English Dependency Treebank 1.0 (2009)

- texts from the Wall Street Journal (Penn Treebank III)
- adaptation of the PDT-like annotation scheme to English
- tectogrammatical annotation
- 12 440 annotated and checked trees

*Whether desirable or not,
this is a child-care program,
not an educational program.
(Wall Street Journal 1286/49)*





Other treebanks: Prague dependency family

Prague **Czech-English** Dependency Treebank 1.0 (2004)

- Penn Treebank data (Wall Street Journal, 21 600 English sentences)
- human translators
- automatic conversions of Penn Treebank annotation into PDT-like annotation scheme (m-, a- and t-layers)
- plain text from Reader's Digest 1993-1996 (50 000 sentences)
- test data:
 - 515 sentence pairs
 - manually annotated on tectogrammatical level, Czech and English
 - retranslated from Czech to English by 4 different translation companies


Prague Czech-English Dependency Treebank 2.0 - **Russian Translation**, version 0.5




Other treebanks: Prague dependency family

Prague **Czech-English** Dependency Treebank 2.0

- Penn Treebank data
- manually annotated data (49 000 sentences)
- <http://ufal.mff.cuni.cz/pcedt2.0/>



But the strategy isn't helping much this time.




Tato strategie však tentokrát příliš nepomáhá .




Prague Czech-English Dependency Treebank


Prague Markup Lar



Ale musíte uznat, že se tyto události odehrály před 35 lety.



*But you have *-1 to recognize that these events took place 35 years ago.*





Pětapadesátiletý Rudolf Agnew, bývalý předseda společnosti *Consolidated Gold Fields PLC*, byl jmenován nevýkonným ředitelem tohoto britského průmyslového konglomerátu.

Rudolph Agnew , 55 years old and former chairman of *Consolidated Gold Fields PLC* , was named *-1 a nonexecutive director of this British industrial conglomerate.



Other treebanks: Prague dependency family


Czech-English Parallel Corpus 1.0

(~15.0 M parallel sentences)

<http://ufal.mff.cuni.cz/czeng/>

- collected automatically
- annotated automatically
- European laws, subtitles, technical documentation, electronic books, newspapers, ...

It is extremely important that Iraq held elections to a constitutional assembly.






Other treebanks: Prague dependency family

Prague **Arabic** Dependency Treebank 1.0 (2004), 1.5 (2013)

http://ufal.mff.cuni.cz/padt/PADT_1.0/docs/index.html

- Functional Arabic Morphology
- analytical layer
(about 130 000 tokens)
- tectogrammatical layer






Other treebanks: Prague dependency family

HamleDT ~ a compilation of existing dependency treebanks
(or dependency conversions of other treebanks),
transformed so that they all conform to the same annotation style

36 languages, 42 treebanks in HamleDT 3.0 (2015)


<http://ufal.mff.cuni.cz/hamledt/>





Other treebanks: Prague dependency family

HamleDT ~ a compilation of existing dependency treebanks
(or dependency conversions of other treebanks),
transformed so that they all conform to the same annotation style





How to access / obtain dependency treebanks

- as a web service

<https://lindat.mff.cuni.cz/services/pmltq/#!/home>

LINDAT/Clarin Repository
PML-TQ search tool

The screenshot shows the PML Tree Query interface. At the top, there is a navigation bar with links for LINDAT, Repository, TreeQuery, Treex, More Apps, Events, About, and CLARIN. Below the navigation bar, the title "PML Tree Query" is displayed, followed by the subtitle "Tool for searching and browsing treebanks online". There are two buttons: "Browse Treebanks" and "Login".

Recently Used:

- PDT 30
- HAMLEDT CS
- HAMLEDT PT

Featured Treebanks:

- Prague Dependency Treebank 3.0**
Train and test data of the Prague Dependency Treebank 3.0 (an update of PDT 2.5 and PDT 1.0, featuring annotation of discourse relations, document genres, extended textual coreference, bridging anaphora, revised sentmod, revised grammatical categories and other updates).
Czech PDT
- HAMLEDT LA**
HamleDT is a compilation of existing dependency treebanks (or dependency conversions of other treebanks), transformed so that they all conform to the same annotation style. This is the HamleDT conversion of the Latin Dependency Treebank.
Latin HamleDT
- CLTT 10**
The Czech Legal Text Treebank (CLTT) is a collection of 1133 manually annotated dependency trees. CLTT consists of two legal documents: The Accounting Act (563/1991 Coll., as amended) and Decree on Double-entry Accounting for undertakings (500/2000 Coll., as amended).
Czech
- PCEDT 30**
Prague Czech-English Dependency Treebank 3.0
English Czech



How to access / obtain dependency treebanks

- **as a web service**

<https://lindat.mff.cuni.cz/services/pmltq/#!/home>

LINDAT/Clarin Repository

PML-TQ search tool

more stable, quick

- **via Tred instalation**

PML-TQ search tool

graphical interface for creating queries (practical lectures)



References

- Sgall, P., Hajičová, E., Panevová, J. (1986) *The Meaning of the Sentence in Its Semantic and Pragmatic Aspects*. Reidel, Dordrecht.
- Hajičová, E., Panevová, J., Sgall, P. (2002) *Úvod do teoretické a počítačové lingvistiky*, sv. I. Karolinum, Praha.
- PDT guide <http://ufal.mff.cuni.cz/pdt2.0/>
- Štěpánek, J. (2006) Závislostní zachycení větné struktury v anotovaném syntaktickém korpusu (nástroje pro zajištění konzistence dat). PhD thesis, MFF UK.
- Zeman, D. et al. (2014) HamleDT: Harmonized Multi-Language Dependency Treebank. *Language Resources and Evaluation*, vol. 48, no. 4, p. 601-637. <http://ufal.mff.cuni.cz/hamledt>
- ...

Differences between FGD and PDT



Differences between FGD and PDT



FGD

- tectogrammar/deep syntax
- surface syntax
- morphematics
- morphonology
- phonology


PDT

- t-layer (tectogrammatical l.)
- a-layer (analytical l.)
- m-layer (morphological l.)
- w-layer (word layer)

structural layers

reasons

- analysis vs. synthesis/generation → richer information
- technical reasons (financial, temporal restrictions, implementation)




Differences between FGD and PDT (cont.)

morphematics (FGD) vs. *m-layer* (PDT)


- morphemes for individual words are grouped
- grammatical categories ~ morphological tags
- annotated text is divided into sentences

Differences between FGD and PDT (cont.)



structural layers


- technical root
- connecting constructions for coordination and apposition in PDT



Differences between FGD and PDT (cont.)

1. *surface syntax* (FGD) vs. *a-layer* (PDT)


- each token of m-layer is represented by a node
(incl. prepositions, auxiliary verbs, punctuation, ...)
(vs. units corresponding to formemes)
- ➡ edges for non-dependency relations
(other than coordination/apposition)
 - function words (e.g., auxiliary verbs) usually below respective lexical words
 - exception: prepositions, subordinating conjunctions as parents of lexical words



Differences between FGD and PDT (cont.)

1. *surface syntax* (FGD) vs. *a-layer* (PDT)


- each token of m-layer is represented by a node
(incl. prepositions, auxiliary verbs, punctuation, ...)
(vs. units corresponding to formemes)
 - ➡ edges for non-dependency relations
(other than coordination/apposition)
 - function words (e.g., auxiliary verbs) usually below respective lexical words
 - exception: prepositions, subordinating conjunctions as parents of lexical words
 - ellipses: elided words are not restored at a-layer
 - ➡ a word modifying an elided word as a child of the 'lowest' ancestor



Differences between FGD and PDT (cont.)

2. *deep/tectogram*. syntax (FGD) vs. *t-layer* (PDT)

- core vs. periphery
 - specific constructions (direct speech, comparison)
- edges for non-dependency relations
 - syntactically unclear expressions
 - list structures
 - phrasemes
- info on the (non)realization in the surface sentence (is_generated)



Differences between FGD and PDT (cont.)

2. *deep/tectogram*. syntax (FGD) vs. *t-layer* (PDT)

- core vs. periphery
 - specific constructions (direct speech, comparison)
- edges for non-dependency relations
 - syntactically unclear expressions
 - list structures
 - phrasemes
- info on the (non)realization in the surface sentence (is_generated)
- topic-focus articulation
- coreference
 - relative/ interrogative pronouns, personal pronouns (3rd person)
 - grammatical control, complement