

NTIN066 - practicals 4

David Mareček

March 8, 2023

1. Find a sequence of operations in $(a, 2a - 1)$ -trees in which almost every operations perform splits/joins up to the root.

Could you find similar sequence for $(a, 2a)$ -trees?

2. (2,4)-trees versus red-black trees

Red-black tree is a BST that is balanced by maintaining following invariants:

- Every node is either *black* or *red*
- Root and null pointers are *black*
- There are *no consecutive red nodes* (i.e. red node must have black parent).
- All root-leaf paths contain the same number of black nodes.

It can be useful to consider edge color instead: The color of an edge is the color of the lower end-point. I.e. parent-edge of a red node is red, parent-edge of a black node is black.

- Show, that every $(2,4)$ -trees is in fact a red-black tree. That is, find a simple mapping that transforms given $(2,4)$ -tree into a valid red-black tree. Note that we are not really looking for an algorithm but for mapping in the mathematical sense.
- What about the other way around? Can we turn any red-black tree into a $(2,4)$ -tree?
- Left-leaning red-black tree (LLRBT) maintains additional invariant: If the node has a single red son, then it is the left son. Show, that there is a 1-1 correspondence between $(2,4)$ -trees and left leaning red-black trees. That is, find a mapping between $(2,4)$ -trees and LLRBT that assigns a unique LLRBT to any $(2,4)$ -tree (or a unique $(2,4)$ -tree to any LLRBT, which is the same thing).

3. Compare (a,b) -trees, 2-3-trees, 2-3-4-trees, B-trees, B^+ -trees $BB(\alpha)$ trees, RB-trees, LLRB-trees, and AA-trees.

4. Top-down (a,b) -trees

Explain pre-emptive splitting in insert and delete operations.