

PML-TQ and Multiword Expressions

(Jiří Mírovský and Pavel Straňák, PARSEME training school lab session, January 22nd, 2015)

Introduction

Find all Predicates

```
t-node  
[ functor = "PRED" ];
```

use button count (or output filter >> count() in the web client)

Predicates with an Actor

```
t-node  
[ functor = "PRED",  
  t-node $t := [ functor = "ACT" ] ];
```

Distribution of functors below a Predicate

```
t-node  
[ functor = "PRED",  
  t-node $t := [ ] ];  
>> for $t.functor give $1,count() sort by $2 desc
```

Notice that there are CONJ and DISJ in the result.

Find them:

```
t-node  
[ functor = "PRED",  
  t-node $t :=  
  [ functor ~ "(CONJ|DISJ)" ] ];
```

We need echild – effective parentage

```
t-node  
[ functor = "PRED",  
  echild t-node $t := [ ] ];  
>> for $t.functor give $1,count() sort by $2 desc
```

Notice the big difference in the distributions.

Predicate without an Actor

```
t-node  
[ functor = "PRED",  
  0x echild t-node  
  [ functor = "ACT" ] ];
```

Lists and counts of inner participants of verbs

```
t-node $p :=  
[ gram/sempos = "v",  
  echild t-node $c :=  
    [ functor in {"ACT", "PAT", "ADDR", "EFF", "ORIG"} ] ];  
>> for $p.id,$c.functor give $1,$2  
>> give distinct $1,concat($2, ' ' over $1 sort by $2)  
>> for $2 give $1,count() sort by $2 desc
```

CPHR, DPHR, is_name_of_person

Find all CPHRs

```
t-node  
[ functor = "CPHR" ]
```

```
+ button count  
+ >> count()
```

But in how many trees?

More options:

```
t-root  
[ 1+x descendant t-node  
  [ functor = "CPHR" ] ];  
>> count()
```

or

```
t-root $r :=  
[ descendant t-node  
  [ functor = "CPHR" ] ];  
>> give distinct $r.id  
>> give count()
```

DPHR that is not a leaf

```
t-node  
[ functor = "DPHR", sons() != 0 ];
```

DPHR not dependant on a verb

Several options, e.g.:

```
t-node
[ gram/sempos != "v",
  echild t-node
  [ functor = "DPHR" ] ];
```

or

```
t-node
[ functor = "DPHR",
  0x eparent t-node
  [ gram/sempos = "v" ] ];
```

... if you want to list the cases – possible only with the first option:

```
t-node $t :=
[ gram/sempos != "v",
  echild t-node $s :=
  [ functor = "DPHR" ] ];
>> for $t.t_lemma,$s.t_lemma give $1,$2,count() sort by $3 desc
```

Give a list of a governing word + DPHR, and the sentences

```
t-root
[ descendant t-node $p :=
  [ echild t-node $c :=
    [ functor = "DPHR" ] ],
  atree.rf a-root $r :=
  [ +descendant a-node $a := [ ] ] ];
>> for $r.id,$p.t_lemma,$c.t_lemma,$a.m/form,$a.ord give $1,$2,$3,$4,$5
>> give distinct $2,$3,concat($4, ' ' over $1 sort by $5)
```

MWE

Find all t-nodes in all mwes

```
t-root
[ member mwes
  [ tnode.rfs t-node [ ] ] ];
```

+ count their types

```
t-root
[ member mwes $m :=
  [ tnode.rfs t-node [ ] ] ];
>> for $m.type give $1, count()
```

But it counts number of t-nodes in the respective types of mwes.

If we only want counts of mwes, this is enough:

```
t-root
[ member mwes $m :=
  [ ] ];
>> for $m.type give $1, count()
```

Find all t-nodes in mwes of type location

```
t-root
[ member mwes
  [ type = "location",
    tnode.rfs t-node [ ] ]];
```

Find the first node in the depth-first-order in mwes of type location

```
t-root
[ member mwes
  [ type = "location",
    0x tnode.rfs t-node
    [ depth-first-precedes $n3 ],
    tnode.rfs t-node $n3 := [ ] ]];
```

Counts of mwes in individual trees

```
t-root $r :=
[ member mwes [ ] ];
>> for $r.id give count()
```

the same should work for \$r in the output filter – but a different order of results.

```
+ >>max()
+ >>avg() - but notice that trees without mwes are not counted
```

in how many trees are given numbers of mwes:

```
+ >> for $1 give $1,count() sort by $2 desc
```

(it is the same for \$r.id and \$r)

if we do not want to see rare cases (with number of occurrences less than 5)

```
+ >> filter $2 >= 5
```

Give a list of all mwes (as they appear in the sentence)

```
t-root
[ member mwes $m :=
  [ tnode.rfs t-node
    [ a/lex.rf|a/aux.rf a-node $a := [ ] ] ] ];
>> give distinct concat($a.m/form, ' ' over $m sort by $a.ord)
```

Find all DPHRs that are not parts of mwe – does not work because of bug in 0x member

```
t-node $n :=
[ functor = "DPHR",
  same-tree-as t-root
  [ 0x member mwes
    [ tnode.rfs $n ] ] ];
```

But works this way: instead of saying that in the given t-root, there is no member mwe from which a link would go to the given t-node, we can say that in the tree there is no t-root in which there is a mwe from which a link goes to the given t-node – and this is interpreted correctly.

```
t-node $n3 :=
[ functor = "DPHR",
  0x same-tree-as t-root
  [ member mwes
    [ tnode.rfs $n3 ] ] ];
```

Find errors in is_name_of_person vs. mwe type person

Find nodes with is_name_of_person that are not a part of mwe of type person:

```
t-node $n3 :=
[ is_name_of_person = "1",
  0x same-tree-as t-root
  [ member mwes
    [ type = "person", tnode.rfs $n3 ] ] ];
```

Finds e.g. companies that have the owner's name in their name.

The other way (t-nodes that are part of mwe of type person but do not have is_name_of_person:

```
t-root
[ member mwes
  [ type = "person", tnode.rfs t-node
    [ !is_name_of_person = "1" ] ] ];
```

Finds e.g. Ing. Vladimír Duda

Distribution of types of mwe along with counts and percentages:

t-root

```
[ member mwes $m :=
```

```
  [ tnode.rfs t-node $t := [ ] ]];
```

```
>> for $m.id,$m.type give $2,count()
```

```
>> for $1 give $1,count(),sum($2),min($2),max($2),round(avg($2),2)
```

```
>> give $1,$2,round(ratio($2 over all) * 100,2),round(ratio($3 over all) * 100,2),$4,$5,$6
```

```
>> give $1 & " ... " & $2 & " mwe (" & $3 & "% of all mwes, " & $4 & "% of all mwe t-nodes)
```

```
... min. nodes " & $5 & ", max. nodes " & $6 & ", aver. nodes " & $7 sort by $1
```