# Introduction to Machine Learning
## NPFL 054

`http://ufal.mff.cuni.cz/course/npfl054`

**Barbora Hladká**  **Martin Holub**

`{Hladka | Holub}@ufal.mff.cuni.cz`

Charles University,
Faculty of Mathematics and Physics,
Institute of Formal and Applied Linguistics

# Programming questions

- **Feature frequency**
  - Implement a function that receives a vector of 1s and 0s and returns the number of 1s.

- **MOV data set**
  - Run this script
    `https://ufal.mff.cuni.cz/~hladka/2015/docs/load-mov-data.R`
  - Work with `movies` data frame. For each genre-related feature compute its feature frequency. Plot all the feature frequency values.

# Programming questions

- **USArrests data set**
  - `d <- USArrests`
  - Print a vector of the state names from the highest `Assault` rate to the lowest `Assault` rate.
  - Produce a scatter plot of `Rape` and `Murder`.
  - Compute Pearson correlation coefficient for `Murder` and `Rape`, `Rape` and `UrbanPop`, `Murder` and `UrbanPop`.
  - Run K-Means clustering algorithm for K=3 and experiment with `Assault` and `Rape`
  - Run K-Means clustering algorithm for K=3 and experiment with all the four features.
  - Use the Elbow Method to find an optimal value of K

- **Titanic data set**
  - `d <- read.csv("https://ufal.mff.cuni.cz/ hladka/2021/docs/train.csv")`