


Convolutional Neural Networks II

Milan Straka

 March 30, 2020



EUROPEAN UNION
European Structural and Investment Fund
Operational Programme Research,
Development and Education

Charles University in Prague
Faculty of Mathematics and Physics
Institute of Formal and Applied Linguistics



unless otherwise stated

Designing and training a neural network is not a one-shot action, but instead an iterative procedure.

- When choosing hyperparameters, it is important to verify that the model does not underfit and does not overfit.
- Underfitting can be checked by increasing model capacity or training longer.
- Overfitting can be tested by observing train/dev difference and by trying stronger regularization.

Specifically, this implies that:

- We need to set number of training epochs so that training loss/performance no longer increases at the end of training.
- Generally, we want to use a large batchsize that does not slow us down too much (GPUs sometimes allow larger batches without slowing down training). However, with increasing batch size we need to increase learning rate, which is possible only to some extent. Also, small batch size sometimes work as regularization (especially for vanilla SGD algorithm).

- Convolutions can provide
 - local interactions in spacial/temporal dimensions
 - shift invariance
 - *much* less parameters than a fully connected layer
- Usually repeated 3×3 convolutions are enough, no need for larger filter sizes.
- When pooling is performed, double number of channels.
- Final fully connected layers are not needed, global average pooling is usually enough.
- Batch normalization is a great regularization method for CNNs, allowing removal of dropout.
- Small weight decay (i.e., L2 regularization) of usually $1e-4$ is still useful for regularizing convolutional kernels.




Figure 1. Training error (left) and test error (right) on CIFAR-10 with 20-layer and 56-layer “plain” networks. The deeper network has higher training error, and thus test error. Similar phenomena on ImageNet is presented in Fig. 4.

Figure 1 of paper "Deep Residual Learning for Image Recognition", <https://arxiv.org/abs/1512.03385>.




Figure 2. Residual learning: a building block.

Figure 2 of paper "Deep Residual Learning for Image Recognition", <https://arxiv.org/abs/1512.03385>.




Figure 5. A deeper residual function \mathcal{F} for ImageNet. Left: a building block (on 56×56 feature maps) as in Fig. 3 for ResNet-34. Right: a “bottleneck” building block for ResNet-50/101/152.

Figure 5 of paper "Deep Residual Learning for Image Recognition", <https://arxiv.org/abs/1512.03385>.

ResNet – 2015 (3.6% error)

layer name	output size	18-layer	34-layer	50-layer	101-layer	152-layer
conv1	112×112	7×7, 64, stride 2				
conv2_x	56×56	3×3 max pool, stride 2				
		$\begin{bmatrix} 3 \times 3, 64 \\ 3 \times 3, 64 \end{bmatrix} \times 2$	$\begin{bmatrix} 3 \times 3, 64 \\ 3 \times 3, 64 \end{bmatrix} \times 3$	$\begin{bmatrix} 1 \times 1, 64 \\ 3 \times 3, 64 \\ 1 \times 1, 256 \end{bmatrix} \times 3$	$\begin{bmatrix} 1 \times 1, 64 \\ 3 \times 3, 64 \\ 1 \times 1, 256 \end{bmatrix} \times 3$	$\begin{bmatrix} 1 \times 1, 64 \\ 3 \times 3, 64 \\ 1 \times 1, 256 \end{bmatrix} \times 3$
conv3_x	28×28	$\begin{bmatrix} 3 \times 3, 128 \\ 3 \times 3, 128 \end{bmatrix} \times 2$	$\begin{bmatrix} 3 \times 3, 128 \\ 3 \times 3, 128 \end{bmatrix} \times 4$	$\begin{bmatrix} 1 \times 1, 128 \\ 3 \times 3, 128 \\ 1 \times 1, 512 \end{bmatrix} \times 4$	$\begin{bmatrix} 1 \times 1, 128 \\ 3 \times 3, 128 \\ 1 \times 1, 512 \end{bmatrix} \times 4$	$\begin{bmatrix} 1 \times 1, 128 \\ 3 \times 3, 128 \\ 1 \times 1, 512 \end{bmatrix} \times 8$
conv4_x	14×14	$\begin{bmatrix} 3 \times 3, 256 \\ 3 \times 3, 256 \end{bmatrix} \times 2$	$\begin{bmatrix} 3 \times 3, 256 \\ 3 \times 3, 256 \end{bmatrix} \times 6$	$\begin{bmatrix} 1 \times 1, 256 \\ 3 \times 3, 256 \\ 1 \times 1, 1024 \end{bmatrix} \times 6$	$\begin{bmatrix} 1 \times 1, 256 \\ 3 \times 3, 256 \\ 1 \times 1, 1024 \end{bmatrix} \times 23$	$\begin{bmatrix} 1 \times 1, 256 \\ 3 \times 3, 256 \\ 1 \times 1, 1024 \end{bmatrix} \times 36$
conv5_x	7×7	$\begin{bmatrix} 3 \times 3, 512 \\ 3 \times 3, 512 \end{bmatrix} \times 2$	$\begin{bmatrix} 3 \times 3, 512 \\ 3 \times 3, 512 \end{bmatrix} \times 3$	$\begin{bmatrix} 1 \times 1, 512 \\ 3 \times 3, 512 \\ 1 \times 1, 2048 \end{bmatrix} \times 3$	$\begin{bmatrix} 1 \times 1, 512 \\ 3 \times 3, 512 \\ 1 \times 1, 2048 \end{bmatrix} \times 3$	$\begin{bmatrix} 1 \times 1, 512 \\ 3 \times 3, 512 \\ 1 \times 1, 2048 \end{bmatrix} \times 3$
	1×1	average pool, 1000-d fc, softmax				
FLOPs		1.8×10^9	3.6×10^9	3.8×10^9	7.6×10^9	11.3×10^9

Table 1 of paper "Deep Residual Learning for Image Recognition", <https://arxiv.org/abs/1512.03385>.

ResNet – 2015 (3.6% error)




Figure 3 of paper "Deep Residual Learning for Image Recognition", <https://arxiv.org/abs/1512.03385>.

The residual connections cannot be applied directly when number of channels increase.

The authors considered several alternatives, and chose the one where in case of channels increase a 1×1 convolution is used on the projections to match the required number of channels.




Figure 4. Training on **ImageNet**. Thin curves denote training error, and bold curves denote validation error of the center crops. Left: plain networks of 18 and 34 layers. Right: ResNets of 18 and 34 layers. In this plot, the residual networks have no extra parameter compared to their plain counterparts.

Figure 4 of paper "Deep Residual Learning for Image Recognition", <https://arxiv.org/abs/1512.03385>.




Figure 1 of paper "Visualizing the Loss Landscape of Neural Nets", <https://arxiv.org/abs/1712.09913>.

Training details:

- batch normalizations after each convolution and before activation
- SGD with batch size 256 and momentum of 0.9
- learning rate starts with 0.1 and is divided by 10 when error plateaus
- no dropout, weight decay 0.0001
- during testing, 10-crop evaluation strategy is used, averaging scores across multiple scales – the images are resized so that their smaller size is in $\{224, 256, 384, 480, 640\}$

ResNet – 2015 (3.6% error)

method	top-1 err.	top-5 err.
VGG [41] (ILSVRC'14)	-	8.43 [†]
GoogLeNet [44] (ILSVRC'14)	-	7.89
VGG [41] (v5)	24.4	7.1
PReLU-net [13]	21.59	5.71
BN-inception [16]	21.99	5.81
ResNet-34 B	21.84	5.71
ResNet-34 C	21.53	5.60
ResNet-50	20.74	5.25
ResNet-101	19.87	4.60
ResNet-152	19.38	4.49

Table 4. Error rates (%) of **single-model** results on the ImageNet validation set (except [†] reported on the test set).

Table 4 of paper "Deep Residual Learning for Image Recognition", <https://arxiv.org/abs/1512.03385>.


method	top-5 err. (test)
VGG [41] (ILSVRC'14)	7.32
GoogLeNet [44] (ILSVRC'14)	6.66
VGG [41] (v5)	6.8
PReLU-net [13]	4.94
BN-inception [16]	4.82
ResNet (ILSVRC'15)	3.57

Table 5. Error rates (%) of **ensembles**. The top-5 error is on the test set of ImageNet and reported by the test server.

Table 5 of paper "Deep Residual Learning for Image Recognition", <https://arxiv.org/abs/1512.03385>.

ResNet Ablations – Shortcuts

The authors of ResNet published an ablation study several months after the original paper.



case	Fig.	on shortcut	on \mathcal{F}	error (%)	remark
original [1]	Fig. 2(a)	1	1	6.61	
constant scaling	Fig. 2(b)	0	1	fail	This is a plain net
		0.5	0.5	12.35	frozen gating
exclusive gating	Fig. 2(c)	$1 - g(\mathbf{x})$	$g(\mathbf{x})$	fail	init $b_g=0$ to -5
		$1 - g(\mathbf{x})$	$g(\mathbf{x})$	8.70	init $b_g=-6$
		$1 - g(\mathbf{x})$	$g(\mathbf{x})$	9.81	init $b_g=-7$
shortcut-only gating	Fig. 2(d)	$1 - g(\mathbf{x})$	1	12.86	init $b_g=0$
		$1 - g(\mathbf{x})$	1	6.91	init $b_g=-6$
1×1 conv shortcut	Fig. 2(e)	1×1 conv	1	12.22	
dropout shortcut	Fig. 2(f)	dropout 0.5	1	fail	

Table 1 of paper "Identity Mappings in Deep Residual Networks", <https://arxiv.org/abs/1603.05027>

Figure 2 of paper "Identity Mappings in Deep Residual Networks", <https://arxiv.org/abs/1603.05027>

ResNet Ablations – Activations




Figure 4 of paper "Identity Mappings in Deep Residual Networks", <https://arxiv.org/abs/1603.05027>

case	Fig.	ResNet-110	ResNet-164
original Residual Unit [1]	Fig. 4(a)	6.61	5.93
BN after addition	Fig. 4(b)	8.17	6.50
ReLU before addition	Fig. 4(c)	7.84	6.14
ReLU-only pre-activation	Fig. 4(d)	6.71	5.91
full pre-activation	Fig. 4(e)	6.37	5.46

Table 2 of paper "Identity Mappings in Deep Residual Networks", <https://arxiv.org/abs/1603.05027>

ResNet Ablations – Pre-Activation Results

The *pre-activation* architecture was evaluated also on ImageNet, in a single-crop regime.

method	augmentation	train crop	test crop	top-1	top-5
ResNet-152, original Residual Unit [1]	scale	224×224	224×224	23.0	6.7
ResNet-152, original Residual Unit [1]	scale	224×224	320×320	21.3	5.5
ResNet-152, pre-act Residual Unit	scale	224×224	320×320	21.1	5.5
ResNet-200, original Residual Unit [1]	scale	224×224	320×320	21.8	6.0
ResNet-200, pre-act Residual Unit	scale	224×224	320×320	20.7	5.3
ResNet-200, pre-act Residual Unit	scale+asp ratio	224×224	320×320	20.1[†]	4.8[†]
Inception v3 [19]	scale+asp ratio	299×299	299×299	21.2	5.6

Table 5 of paper "Identity Mappings in Deep Residual Networks", <https://arxiv.org/abs/1603.05027>




Figure 1: Various residual blocks used in the paper. Batch normalization and ReLU precede each convolution (omitted for clarity)

Figure 1 of paper "Wide Residual Networks", <https://arxiv.org/abs/1605.07146>

- Authors do not consider bottleneck blocks. Instead, they experiment with different *block types*, e.g., $B(1, 3, 1)$ or $B(3, 3)$

block type	depth	# params	time,s	CIFAR-10
$B(1, 3, 1)$	40	1.4M	85.8	6.06
$B(3, 1)$	40	1.2M	67.5	5.78
$B(1, 3)$	40	1.3M	72.2	6.42
$B(3, 1, 1)$	40	1.3M	82.2	5.86
$B(3, 3)$	28	1.5M	67.5	5.73
$B(3, 1, 3)$	22	1.1M	59.9	5.78

Table 2 of paper "Wide Residual Networks", <https://arxiv.org/abs/1605.07146>

group name	output size	block type = $B(3, 3)$
conv1	32×32	$[3 \times 3, 16]$
conv2	32×32	$\begin{bmatrix} 3 \times 3, 16 \times k \\ 3 \times 3, 16 \times k \end{bmatrix} \times N$
conv3	16×16	$\begin{bmatrix} 3 \times 3, 32 \times k \\ 3 \times 3, 32 \times k \end{bmatrix} \times N$
conv4	8×8	$\begin{bmatrix} 3 \times 3, 64 \times k \\ 3 \times 3, 64 \times k \end{bmatrix} \times N$
avg-pool	1×1	$[8 \times 8]$

Table 1 of paper "Wide Residual Networks", <https://arxiv.org/abs/1605.07146>

- Authors evaluate various *widening factors* k

depth	k	# params	CIFAR-10	CIFAR-100
40	1	0.6M	6.85	30.89
40	2	2.2M	5.33	26.04
40	4	8.9M	4.97	22.89
40	8	35.7M	4.66	-
28	10	36.5M	4.17	20.50
28	12	52.5M	4.33	20.43
22	8	17.2M	4.38	21.22
22	10	26.8M	4.44	20.75
16	8	11.0M	4.81	22.07
16	10	17.1M	4.56	21.59

Table 4 of paper "Wide Residual Networks", <https://arxiv.org/abs/1605.07146>

group name	output size	block type = $B(3,3)$
conv1	32×32	$[3 \times 3, 16]$
conv2	32×32	$\begin{bmatrix} 3 \times 3, 16 \times k \\ 3 \times 3, 16 \times k \end{bmatrix} \times N$
conv3	16×16	$\begin{bmatrix} 3 \times 3, 32 \times k \\ 3 \times 3, 32 \times k \end{bmatrix} \times N$
conv4	8×8	$\begin{bmatrix} 3 \times 3, 64 \times k \\ 3 \times 3, 64 \times k \end{bmatrix} \times N$
avg-pool	1×1	$[8 \times 8]$

Table 1 of paper "Wide Residual Networks",
<https://arxiv.org/abs/1605.07146>

- Authors measure the effect of *dropping out* inside the residual block (but not the residual connection itself)

depth	k	dropout	CIFAR-10	CIFAR-100	SVHN
16	4		5.02	24.03	1.85
16	4	✓	5.24	23.91	1.64
28	10		4.00	19.25	-
28	10	✓	3.89	18.85	-
52	1		6.43	29.89	2.08
52	1	✓	6.28	29.78	1.70

Table 6 of paper "Wide Residual Networks", <https://arxiv.org/abs/1605.07146>

group name	output size	block type = $B(3,3)$
conv1	32×32	$[3 \times 3, 16]$
conv2	32×32	$\begin{bmatrix} 3 \times 3, 16 \times k \\ 3 \times 3, 16 \times k \end{bmatrix} \times N$
conv3	16×16	$\begin{bmatrix} 3 \times 3, 32 \times k \\ 3 \times 3, 32 \times k \end{bmatrix} \times N$
conv4	8×8	$\begin{bmatrix} 3 \times 3, 64 \times k \\ 3 \times 3, 64 \times k \end{bmatrix} \times N$
avg-pool	1×1	$[8 \times 8]$

Table 1 of paper "Wide Residual Networks", <https://arxiv.org/abs/1605.07146>





Figure 3 of paper "Wide Residual Networks", <https://arxiv.org/abs/1605.07146>

Dataset	Results				
CIFAR		depth- <i>k</i>	# params	CIFAR-10	CIFAR-100
	NIN [20]			8.81	35.67
	DSN [19]			8.22	34.57
	FitNet [24]			8.39	35.04
	Highway [28]			7.72	32.39
	ELU [5]			6.55	24.28
	original-ResNet[11]	110	1.7M	6.43	25.16
		1202	10.2M	7.93	27.82
	stoc-depth[14]	110	1.7M	5.23	24.58
		1202	10.2M	4.91	-
	pre-act-ResNet[13]	110	1.7M	6.37	-
		164	1.7M	5.46	24.33
1001		10.2M	4.92(4.64)	22.71	
WRN (ours)	40-4	8.9M	4.53	21.18	
	16-8	11.0M	4.27	20.43	
	28-10	36.5M	4.00	19.25	
ImageNet	Model	top-1 err, %	top-5 err, %	#params	time/batch 16
	ResNet-50	24.01	7.02	25.6M	49
	ResNet-101	22.44	6.21	44.5M	82
	ResNet-152	22.16	6.16	60.2M	115
	WRN-50-2-bottleneck	21.9	6.03	68.9M	93
	pre-ResNet-200	21.66	5.79	64.7M	154

Table 5 of paper "Wide Residual Networks", <https://arxiv.org/abs/1605.07146>

Table 8 of paper "Wide Residual Networks", <https://arxiv.org/abs/1605.07146>




Figure 2 of paper "Densely Connected Convolutional Networks", <https://arxiv.org/abs/1608.06993>




Figure 1 of paper "Densely Connected Convolutional Networks", <https://arxiv.org/abs/1608.06993>

DenseNet – Architecture

The initial convolution generates 64 channels, each 1×1 convolution in dense block 256, each 3×3 convolution in dense block 32, and the transition layer reduces the number of channels in the initial convolution by half.

Layers	Output Size	DenseNet-121	DenseNet-169	DenseNet-201	DenseNet-264
Convolution	112×112	7×7 conv, stride 2			
Pooling	56×56	3×3 max pool, stride 2			
Dense Block (1)	56×56	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 6$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 6$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 6$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 6$
Transition Layer (1)	56×56	1×1 conv			
	28×28	2×2 average pool, stride 2			
Dense Block (2)	28×28	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 12$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 12$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 12$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 12$
Transition Layer (2)	28×28	1×1 conv			
	14×14	2×2 average pool, stride 2			
Dense Block (3)	14×14	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 24$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 32$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 48$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 64$
Transition Layer (3)	14×14	1×1 conv			
	7×7	2×2 average pool, stride 2			
Dense Block (4)	7×7	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 16$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 32$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 32$	$\begin{bmatrix} 1 \times 1 \text{ conv} \\ 3 \times 3 \text{ conv} \end{bmatrix} \times 48$
Classification Layer	1×1	7×7 global average pool			
		1000D fully-connected, softmax			

Table 1 of paper "Densely Connected Convolutional Networks", <https://arxiv.org/abs/1608.06993>

DenseNet – Results

Method	Depth	Params	C10	C10+	C100	C100+	SVHN
Network in Network [22]	-	-	10.41	8.81	35.68	-	2.35
All-CNN [32]	-	-	9.08	7.25	-	33.71	-
Deeply Supervised Net [20]	-	-	9.69	7.97	-	34.57	1.92
Highway Network [34]	-	-	-	7.72	-	32.39	-
FractalNet [17]	21	38.6M	10.18	5.22	35.34	23.30	2.01
with Dropout/Drop-path	21	38.6M	7.33	4.60	28.20	23.73	1.87
ResNet [11]	110	1.7M	-	6.61	-	-	-
ResNet (reported by [13])	110	1.7M	13.63	6.41	44.74	27.22	2.01
ResNet with Stochastic Depth [13]	110	1.7M	11.66	5.23	37.80	24.58	1.75
	1202	10.2M	-	4.91	-	-	-
Wide ResNet [42]	16	11.0M	-	4.81	-	22.07	-
	28	36.5M	-	4.17	-	20.50	-
with Dropout	16	2.7M	-	-	-	-	1.64
ResNet (pre-activation) [12]	164	1.7M	11.26*	5.46	35.58*	24.33	-
	1001	10.2M	10.56*	4.62	33.47*	22.71	-
DenseNet ($k = 12$)	40	1.0M	7.00	5.24	27.55	24.42	1.79
DenseNet ($k = 12$)	100	7.0M	5.77	4.10	23.79	20.20	1.67
DenseNet ($k = 24$)	100	27.2M	5.83	3.74	23.42	19.25	1.59
DenseNet-BC ($k = 12$)	100	0.8M	5.92	4.51	24.15	22.27	1.76
DenseNet-BC ($k = 24$)	250	15.3M	5.19	3.62	19.64	17.60	1.74
DenseNet-BC ($k = 40$)	190	25.6M	-	3.46	-	17.18	-

Table 2 of paper "Densely Connected Convolutional Networks", <https://arxiv.org/abs/1608.06993>







Figure 3 of paper "Densely Connected Convolutional Networks", <https://arxiv.org/abs/1608.06993>




(a) basic




(b) bottleneck



(c) wide



(d) pyramidal



(e) pyramidal bottleneck

Figure 1 of paper "Deep Pyramidal Residual Networks", <https://arxiv.org/abs/1610.02915>

PyramidNet – Growth Rate




Figure 2 of paper "Deep Pyramidal Residual Networks", <https://arxiv.org/abs/1610.02915>


In architectures up until now, number of filters doubled when spacial resolution was halved.

Such exponential growth would suggest gradual widening rule $D_k = \lfloor D_{k-1} \cdot \alpha^{1/N} \rfloor$.


However, the authors employ a linear widening rule $D_k = \lfloor D_{k-1} + \alpha/N \rfloor$, where D_k is number of filters in the k -th out of N convolutional block and α is number of filters to add in total.

PyramidNet – Residual Connections

No residual connection can be a real identity – the authors propose to zero-pad missing channels, where the zero-pad channels correspond to newly computed features.



(a)



(b)

Figure 5 of paper "Deep Pyramidal Residual Networks", <https://arxiv.org/abs/1610.02915>

PyramidNet – CIFAR Results

Network	# of Params	Output Feat. Dim.	Depth	Training Mem.	CIFAR-10	CIFAR-100
NiN [18]	-	-	-	-	8.81	35.68
All-CNN [27]	-	-	-	-	7.25	33.71
DSN [17]	-	-	-	-	7.97	34.57
FitNet [21]	-	-	-	-	8.39	35.04
Highway [29]	-	-	-	-	7.72	32.39
Fractional Max-pooling [4]	-	-	-	-	4.50	27.62
ELU [29]	-	-	-	-	6.55	24.28
ResNet [7]	1.7M	64	110	547MB	6.43	25.16
ResNet [7]	10.2M	64	1001	2,921MB	-	27.82
ResNet [7]	19.4M	64	1202	2,069MB	7.93	-
Pre-activation ResNet [8]	1.7M	64	164	841MB	5.46	24.33
Pre-activation ResNet [8]	10.2M	64	1001	2,921MB	4.62	22.71
Stochastic Depth [10]	1.7M	64	110	547MB	5.23	24.58
Stochastic Depth [10]	10.2M	64	1202	2,069MB	4.91	-
FractalNet [14]	38.6M	1,024	21	-	4.60	23.73
SwapOut v2 (width×4) [26]	7.4M	256	32	-	4.76	22.72
Wide ResNet (width×4) [34]	8.7M	256	40	775MB	4.97	22.89
Wide ResNet (width×10) [34]	36.5M	640	28	1,383MB	4.17	20.50
Weighted ResNet [24]	19.1M	64	1192	-	5.10	-
DenseNet ($k = 24$) [9]	27.2M	2,352	100	4,381MB	3.74	19.25
DenseNet-BC ($k = 40$) [9]	25.6M	2,190	190	7,247MB	3.46	17.18
PyramidNet ($\alpha = 48$)	1.7M	64	110	655MB	4.58±0.06	23.12±0.04
PyramidNet ($\alpha = 84$)	3.8M	100	110	781MB	4.26±0.23	20.66±0.40
PyramidNet ($\alpha = 270$)	28.3M	286	110	1,437MB	3.73±0.04	18.25±0.10
PyramidNet (bottleneck, $\alpha = 270$)	27.0M	1,144	164	4,169MB	3.48±0.20	17.01±0.39
PyramidNet (bottleneck, $\alpha = 240$)	26.6M	1,024	200	4,451MB	3.44±0.11	16.51±0.13
PyramidNet (bottleneck, $\alpha = 220$)	26.8M	944	236	4,767MB	3.40±0.07	16.37±0.29
PyramidNet (bottleneck, $\alpha = 200$)	26.0M	864	272	5,005MB	3.31±0.08	16.35±0.24

Table 4 of paper "Deep Pyramidal Residual Networks", <https://arxiv.org/abs/1610.02915>

Group	Output size	Building Block	
conv 1	32×32	[3 × 3, 16]	
conv 2	32×32	$3 \times 3, \lfloor 16 + \alpha(k-1)/N \rfloor$ $3 \times 3, \lfloor 16 + \alpha(k-1)/N \rfloor$	$\times N_2$
conv 3	16×16	$3 \times 3, \lfloor 16 + \alpha(k-1)/N \rfloor$ $3 \times 3, \lfloor 16 + \alpha(k-1)/N \rfloor$	$\times N_3$
conv 4	8×8	$3 \times 3, \lfloor 16 + \alpha(k-1)/N \rfloor$ $3 \times 3, \lfloor 16 + \alpha(k-1)/N \rfloor$	$\times N_4$
avg pool	1×1	[8 × 8, 16 + α]	

Table 1 of paper "Deep Pyramidal Residual Networks", <https://arxiv.org/abs/1610.02915>

Network	# of Params	Output Feat. Dim.	Augmentation	Train Crop	Test Crop	Top-1	Top-5
ResNet-152 [7]	60.0M	2,048	scale	224×224	224×224	23.0	6.7
Pre-ResNet-152 [†] [8]	60.0M	2,048	scale+asp ratio	224×224	224×224	22.2	6.2
Pre-ResNet-200 [†] [8]	64.5M	2,048	scale+asp ratio	224×224	224×224	21.7	5.8
WRN-50-2-bottleneck [34]	68.9M	2,048	scale+asp ratio	224×224	224×224	21.9	6.0
PyramidNet-200 ($\alpha = 300$)	62.1M	1,456	scale+asp ratio	224×224	224×224	20.5	5.3
PyramidNet-200 ($\alpha = 300$)*	62.1M	1,456	scale+asp ratio	224×224	224×224	20.5	5.4
PyramidNet-200 ($\alpha = 450$)*	116.4M	2,056	scale+asp ratio	224×224	224×224	20.1	5.4
ResNet-200 [7]	64.5M	2,048	scale	224×224	320×320	21.8	6.0
Pre-ResNet-200 [8]	64.5M	2,048	scale+asp ratio	224×224	320×320	20.1	4.8
Inception-v3 [32]	-	2,048	scale+asp ratio	299×299	299×299	21.2	5.6
Inception-ResNet-v1 [30]	-	1,792	scale+asp ratio	299×299	299×299	21.3	5.5
Inception-v4 [30]	-	1,536	scale+asp ratio	299×299	299×299	20.0	5.0
Inception-ResNet-v2 [30]	-	1,792	scale+asp ratio	299×299	299×299	19.9	4.9
PyramidNet-200 ($\alpha = 300$)	62.1M	1,456	scale+asp ratio	224×224	320×320	19.6	4.8
PyramidNet-200 ($\alpha = 300$)*	62.1M	1,456	scale+asp ratio	224×224	320×320	19.5	4.8
PyramidNet-200 ($\alpha = 450$)*	116.4M	2,056	scale+asp ratio	224×224	320×320	19.2	4.7

Table 5 of paper "Deep Pyramidal Residual Networks", <https://arxiv.org/abs/1610.02915>




Figure 1. **Left:** A block of ResNet [14]. **Right:** A block of ResNeXt with cardinality = 32, with roughly the same complexity. A layer is shown as (# in channels, filter size, # out channels).

Figure 1 of paper "Aggregated Residual Transformations for Deep Neural Networks", <https://arxiv.org/abs/1611.05431>

stage	output	ResNet-50	ResNeXt-50 ($32 \times 4d$)
conv1	112×112	7×7 , 64, stride 2	7×7 , 64, stride 2
conv2	56×56	3×3 max pool, stride 2	3×3 max pool, stride 2
		$\begin{bmatrix} 1 \times 1, 64 \\ 3 \times 3, 64 \\ 1 \times 1, 256 \end{bmatrix} \times 3$	$\begin{bmatrix} 1 \times 1, 128 \\ 3 \times 3, 128, C=32 \\ 1 \times 1, 256 \end{bmatrix} \times 3$
conv3	28×28	$\begin{bmatrix} 1 \times 1, 128 \\ 3 \times 3, 128 \\ 1 \times 1, 512 \end{bmatrix} \times 4$	$\begin{bmatrix} 1 \times 1, 256 \\ 3 \times 3, 256, C=32 \\ 1 \times 1, 512 \end{bmatrix} \times 4$
conv4	14×14	$\begin{bmatrix} 1 \times 1, 256 \\ 3 \times 3, 256 \\ 1 \times 1, 1024 \end{bmatrix} \times 6$	$\begin{bmatrix} 1 \times 1, 512 \\ 3 \times 3, 512, C=32 \\ 1 \times 1, 1024 \end{bmatrix} \times 6$
conv5	7×7	$\begin{bmatrix} 1 \times 1, 512 \\ 3 \times 3, 512 \\ 1 \times 1, 2048 \end{bmatrix} \times 3$	$\begin{bmatrix} 1 \times 1, 1024 \\ 3 \times 3, 1024, C=32 \\ 1 \times 1, 2048 \end{bmatrix} \times 3$
	1×1	global average pool 1000-d fc, softmax	global average pool 1000-d fc, softmax
# params.		25.5×10^6	25.0×10^6
FLOPs		4.1×10^9	4.2×10^9

Table 1 of paper "Aggregated Residual Transformations for Deep Neural Networks", <https://arxiv.org/abs/1611.05431>





Figure 5. Training curves on ImageNet-1K. **(Left)**: ResNet/ResNeXt-50 with preserved complexity (~ 4.1 billion FLOPs, ~ 25 million parameters); **(Right)**: ResNet/ResNeXt-101 with preserved complexity (~ 7.8 billion FLOPs, ~ 44 million parameters).

Figure 5 of paper "Aggregated Residual Transformations for Deep Neural Networks", <https://arxiv.org/abs/1611.05431>

	setting	top-1 error (%)
ResNet-50	$1 \times 64d$	23.9
ResNeXt-50	$2 \times 40d$	23.0
ResNeXt-50	$4 \times 24d$	22.6
ResNeXt-50	$8 \times 14d$	22.3
ResNeXt-50	$32 \times 4d$	22.2
ResNet-101	$1 \times 64d$	22.0
ResNeXt-101	$2 \times 40d$	21.7
ResNeXt-101	$4 \times 24d$	21.4
ResNeXt-101	$8 \times 14d$	21.3
ResNeXt-101	$32 \times 4d$	21.2

Table 3 of paper "Aggregated Residual Transformations for Deep Neural Networks", <https://arxiv.org/abs/1611.05431>

	setting	top-1 err (%)	top-5 err (%)
<i>1 × complexity references:</i>			
ResNet-101	$1 \times 64d$	22.0	6.0
ResNeXt-101	$32 \times 4d$	21.2	5.6
<i>2 × complexity models follow:</i>			
ResNet- 200 [15]	$1 \times 64d$	21.7	5.8
ResNet-101, wider	$1 \times \mathbf{100d}$	21.3	5.7
ResNeXt-101	$\mathbf{2} \times 64d$	20.7	5.5
ResNeXt-101	$\mathbf{64} \times 4d$	20.4	5.3

Table 4 of paper "Aggregated Residual Transformations for Deep Neural Networks", <https://arxiv.org/abs/1611.05431>

	224 × 224		320 × 320 / 299 × 299	
	top-1 err	top-5 err	top-1 err	top-5 err
ResNet-101 [14]	22.0	6.0	-	-
ResNet-200 [15]	21.7	5.8	20.1	4.8
Inception-v3 [39]	-	-	21.2	5.6
Inception-v4 [37]	-	-	20.0	5.0
Inception-ResNet-v2 [37]	-	-	19.9	4.9
ResNeXt-101 (64 × 4d)	20.4	5.3	19.1	4.4

Table 5 of paper "Aggregated Residual Transformations for Deep Neural Networks", <https://arxiv.org/abs/1611.05431>

Deep Networks with Stochastic Depth




Figure 2 of paper "Deep Networks with Stochastic Depth", <https://arxiv.org/abs/1603.09382>

We drop a whole block (but not the residual connection) with probability $1 - p_l$. During inference, we multiply the block output by p_l to compensate.

All p_l can be set to a constant, but more effective is to use a simple linear decay $p_l = 1 - l/L(1 - p_L)$ where p_L is the final probability of the last layer, motivated by the intuition that the initial blocks extract low-level features utilized by the later layers and should therefore be present.

Deep Networks with Stochastic Depth





Figure 8 of paper "Deep Networks with Stochastic Depth", <https://arxiv.org/abs/1603.09382>

According to the ablation experiments, linear decay with $p_L = 0.5$ was selected.






Figure 3 of paper "Deep Networks with Stochastic Depth", <https://arxiv.org/abs/1603.09382>




Figure 1 of paper "Improved Regularization of Convolutional Neural Networks with Cutout", <https://arxiv.org/abs/1708.04552>

Drop 16×16 square in the input image, with randomly chosen center. The pixels are replaced by a their mean value from the dataset.



(a) CIFAR-10



(b) CIFAR-100

Figure 3 of paper "Improved Regularization of Convolutional Neural Networks with Cutout", <https://arxiv.org/abs/1708.04552>

Method	C10	C10+	C100	C100+	SVHN
ResNet18 [5]	10.63 ± 0.26	4.72 ± 0.21	36.68 ± 0.57	22.46 ± 0.31	-
ResNet18 + cutout	9.31 ± 0.18	3.99 ± 0.13	34.98 ± 0.29	21.96 ± 0.24	-
WideResNet [22]	6.97 ± 0.22	3.87 ± 0.08	26.06 ± 0.22	18.8 ± 0.08	1.60 ± 0.05
WideResNet + cutout	5.54 ± 0.08	3.08 ± 0.16	23.94 ± 0.15	18.41 ± 0.27	1.30 ± 0.03
Shake-shake regularization [4]	-	2.86	-	15.85	-
Shake-shake regularization + cutout	-	2.56 ± 0.07	-	15.20 ± 0.21	-


Table 1 of paper "Improved Regularization of Convolutional Neural Networks with Cutout", <https://arxiv.org/abs/1708.04552>

DropBlock


Dropout drops individual values, SpatialDropout drops whole channels, DropBlock drops rectangular areas independently in every channel.



(a)



(b)



(c)

Figure 1 of paper "DropBlock: A regularization method for convolutional networks", <https://arxiv.org/abs/1810.12890>

Algorithm 1 DropBlock

- 1: **Input:** output activations of a layer (A), $block_size$, γ , $mode$
 - 2: **if** $mode == Inference$ **then**
 - 3: return A
 - 4: **end if**
 - 5: Randomly sample mask M : $M_{i,j} \sim Bernoulli(\gamma)$
 - 6: For each zero position $M_{i,j}$, create a spatial square mask with the center being $M_{i,j}$, the width, height being $block_size$ and set all the values of M in the square to be zero (see Figure 2).
 - 7: Apply the mask: $A = A \times M$
 - 8: Normalize the features: $A = A \times \mathbf{count}(M) / \mathbf{count_ones}(M)$
-




Figure 2 of paper "DropBlock: A regularization method for convolutional networks", <https://arxiv.org/abs/1810.12890>

The authors have chosen *block size=7* and also employ linear schedule of the *keep probability*, which starts at 1 and linearly decays until the target value is reached at the end of training.




Figure 3 of paper "DropBlock: A regularization method for convolutional networks", <https://arxiv.org/abs/1810.12890>

Model	top-1(%)	top-5(%)
ResNet-50	76.51 ± 0.07	93.20 ± 0.05
ResNet-50 + dropout (kp=0.7) [1]	76.80 ± 0.04	93.41 ± 0.04
ResNet-50 + DropPath (kp=0.9) [17]	77.10 ± 0.08	93.50 ± 0.05
ResNet-50 + SpatialDropout (kp=0.9) [20]	77.41 ± 0.04	93.74 ± 0.02
ResNet-50 + Cutout [23]	76.52 ± 0.07	93.21 ± 0.04
ResNet-50 + AutoAugment [27]	77.63	93.82
ResNet-50 + label smoothing (0.1) [28]	77.17 ± 0.05	93.45 ± 0.03
ResNet-50 + DropBlock, (kp=0.9)	78.13 ± 0.05	94.02 ± 0.02
ResNet-50 + DropBlock (kp=0.9) + label smoothing (0.1)	78.35 ± 0.05	94.15 ± 0.03

Table 1 of paper "DropBlock: A regularization method for convolutional networks", <https://arxiv.org/abs/1810.12890>

Squeeze and Excitation

The ILSVRC 2017 winner was SENet, *Squeeze and Excitation Network*, which augments existing architectures by a squeeze and excitation block.




Figure 1 of paper "Squeeze-and-Excitation Networks", <https://arxiv.org/abs/1709.01507>

- **squeeze (global information embedding)** computes the average value of every channel
- **excitation (adaptive recalibration)** computes a weight for every channel using a sigmoid activation function and multiplies the corresponding channel with it




Fig. 2. The schema of the original Inception module (left) and the SE-Inception module (right).




Fig. 3. The schema of the original Residual module (left) and the SE-ResNet module (right).

Figure 2 of paper "Squeeze-and-Excitation Networks", <https://arxiv.org/abs/1709.01507>

To not increase the number of parameters too much (by C^2), an additional small hidden layer with $C/16$ neurons is employed.

Mobile Inverted Bottleneck Convolution

When designing convolutional neural networks for mobile phones, the following *mobile inverted bottleneck* block was proposed.

- Regular convolution is replaced by **separable convolution**, which consists of
 - a **depthwise separable convolution** (for example 3×3) acting on each channel separately (which reduces time and space complexity of a regular convolution by a factor equal to the number of channels)
 - a 1×1 convolution acting on each position independently (which reduces time and space complexity of a regular convolution by a factor of $3 \cdot 3$)




Figure 3 of paper "MobileNetV2: Inverted Residuals and Linear Bottlenecks", <https://arxiv.org/abs/1801.04381>

- The residual connections connect bottlenecks (layers with least channels)
- There is no non-linear activation on the bottlenecks (it would lead to loss of information given small capacity of bottlenecks)

Mobile Inverted Bottleneck Convolution

The mobile inverted bottleneck convolution is denoted for example as $MBConv6\ k3 \times 3$, where the 6 denotes expansion factor after the bottleneck and 3×3 is the kernel size of the separable convolution.

Furthermore, mobile inverted bottleneck convolution can be augmented with squeeze and excitation blocks.




Figure 7 of paper "MnasNet: Platform-Aware Neural Architecture Search for Mobile", <https://arxiv.org/abs/1807.11626>




Figure 7 of paper "MnasNet: Platform-Aware Neural Architecture Search for Mobile", <https://arxiv.org/abs/1807.11626>




Figure 7 of paper "MnasNet: Platform-Aware Neural Architecture Search for Mobile", <https://arxiv.org/abs/1807.11626>

As far as I know, the currently best architecture (as of Jan 2020) for image recognition is *EfficientNet*.

The EfficientNet architecture was created using a multi-objective neural architecture search that optimized both accuracy and computation complexity.

The resulting network is denoted as **EfficientNet-B0** baseline network.

It was trained using RMSProp with decay 0.9 and momentum 0.9, weight decay 1e-5 and initial learning rate 0.256 decayed by 0.97 every 2.4 epochs. Dropout with dropout rate 0.2 is used on the last layer, stochastic depth with survival probability 0.8 is employed, and $\text{swish}(\mathbf{x}) \stackrel{\text{def}}{=} \mathbf{x} \cdot \sigma(\mathbf{x})$ activation function is utilized.

Stage i	Operator $\hat{\mathcal{F}}_i$	Resolution $\hat{H}_i \times \hat{W}_i$	#Channels \hat{C}_i	#Layers \hat{L}_i
1	Conv3x3	224×224	32	1
2	MBCConv1, k3x3	112×112	16	1
3	MBCConv6, k3x3	112×112	24	2
4	MBCConv6, k5x5	56×56	40	2
5	MBCConv6, k3x3	28×28	80	3
6	MBCConv6, k5x5	14×14	112	3
7	MBCConv6, k5x5	14×14	192	4
8	MBCConv6, k3x3	7×7	320	1
9	Conv1x1 & Pooling & FC	7×7	1280	1

Table 1 of paper "EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks", <https://arxiv.org/abs/1905.11946>




Figure 2 of paper "EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks", <https://arxiv.org/abs/1905.11946>

To effectively scale the network, the authors propose a simultaneous increase of three qualities:

- **width**, which is the number of channels;
- **depth**, which is the number of layers;
- **resolution**, which is the input image resolution.

By a grid search on a network with double computation complexity, the best trade-off of scaling width by 1.1, depth by 1.2 and resolution by 1.15 was found ($1.1^2 \cdot 1.2 \cdot 1.15^2 \approx 2$).

Model	Top-1 Acc.	Top-5 Acc.	#Params	Ratio-to-EfficientNet	#FLOPS	Ratio-to-EfficientNet
EfficientNet-B0	77.3%	93.5%	5.3M	1x	0.39B	1x
ResNet-50 (He et al., 2016)	76.0%	93.0%	26M	4.9x	4.1B	11x
DenseNet-169 (Huang et al., 2017)	76.2%	93.2%	14M	2.6x	3.5B	8.9x
EfficientNet-B1	79.2%	94.5%	7.8M	1x	0.70B	1x
ResNet-152 (He et al., 2016)	77.8%	93.8%	60M	7.6x	11B	16x
DenseNet-264 (Huang et al., 2017)	77.9%	93.9%	34M	4.3x	6.0B	8.6x
Inception-v3 (Szegedy et al., 2016)	78.8%	94.4%	24M	3.0x	5.7B	8.1x
Xception (Chollet, 2017)	79.0%	94.5%	23M	3.0x	8.4B	12x
EfficientNet-B2	80.3%	95.0%	9.2M	1x	1.0B	1x
Inception-v4 (Szegedy et al., 2017)	80.0%	95.0%	48M	5.2x	13B	13x
Inception-resnet-v2 (Szegedy et al., 2017)	80.1%	95.1%	56M	6.1x	13B	13x
EfficientNet-B3	81.7%	95.6%	12M	1x	1.8B	1x
ResNeXt-101 (Xie et al., 2017)	80.9%	95.6%	84M	7.0x	32B	18x
PolyNet (Zhang et al., 2017)	81.3%	95.8%	92M	7.7x	35B	19x
EfficientNet-B4	83.0%	96.3%	19M	1x	4.2B	1x
SENet (Hu et al., 2018)	82.7%	96.2%	146M	7.7x	42B	10x
NASNet-A (Zoph et al., 2018)	82.7%	96.2%	89M	4.7x	24B	5.7x
AmoebaNet-A (Real et al., 2019)	82.8%	96.1%	87M	4.6x	23B	5.5x
PNASNet (Liu et al., 2018)	82.9%	96.2%	86M	4.5x	23B	6.0x
EfficientNet-B5	83.7%	96.7%	30M	1x	9.9B	1x
AmoebaNet-C (Cubuk et al., 2019)	83.5%	96.5%	155M	5.2x	41B	4.1x
EfficientNet-B6	84.2%	96.8%	43M	1x	19B	1x
EfficientNet-B7	84.4%	97.1%	66M	1x	37B	1x
GPipe (Huang et al., 2018)	84.3%	97.0%	557M	8.4x	-	-

Table 2 of paper "EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks", <https://arxiv.org/abs/1905.11946>

EfficientNet – Results




Figure 5 of paper "EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks", Figure 1 of paper "EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks", <https://arxiv.org/abs/1905.11946>.

In many situations, we would like to utilize a model trained on a different dataset – generally, this cross-dataset usage is called *transfer learning*.

In image processing, models trained on ImageNet are frequently used as general **feature extraction models**.

The easiest scenario is to take a ImageNet model, drop the last classification layer, and use the result of the global average pooling as image features. The ImageNet model is not modified during training.

For efficiency, we may precompute the image features **once** and reuse it later many times.

After we have successfully trained a network employing an ImageNet model, we may improve performance further by *finetuning* – training the full network including the ImageNet model, allowing the feature extraction to adapt to the current dataset.

- The later after the ImageNet models **should** be already trained to convergence.
- Usually a smaller learning rate is necessary, because the original model probably finished training with a very small learning rate. A good starting point is one tenth of the original starting learning rate (therefore, 0.0001 for Adam).
- We have to think about batch normalization, data augmentation or other regularization techniques.

Transposed Convolution

So far, the convolution operation produces either an output of the same size, or it produced a smaller one if stride was larger than one.

In order to come up with *upscaling convolution*, we start by considering how a gradient is backpropagated through a fully connected layer and a regular convolution.

In a fully connected layer without activation:

- during the forward pass, input \mathbf{x} is multiplied by the weight matrix \mathbf{W} as $\mathbf{x} \cdot \mathbf{W}$;
- during the backward pass, the gradient \mathbf{g} is multiplied by the *transposed* weight matrix as $\mathbf{g} \cdot \mathbf{W}^T$.

Transposed Convolution

Analogously, in a convolutional layer without activation:

- during the forward pass, the cross-correlation operation between input \mathbf{I} and kernel \mathbf{K} is performed as

$$(\mathbf{K} \star \mathbf{I})_{i,j,o} = \sum_{m,n,c} \mathbf{I}_{i \cdot S+m, j \cdot S+n, c} \mathbf{K}_{m,n,c,o}$$

- during the backward pass, we obtain $\mathbf{G}_{i,j,o} = \frac{\partial L}{\partial (\mathbf{K} \star \mathbf{I})_{i,j,o}}$ and we need to backpropagate it to obtain $\frac{\partial L}{\partial \mathbf{I}_{i,j,o}}$. It is not difficult to show that

$$\frac{\partial L}{\partial \mathbf{I}_{i,j,o}} = \sum_{\substack{i',m \\ i' \cdot S+m=i}} \sum_{\substack{j',n \\ j' \cdot S+n=j}} \sum_c \mathbf{G}_{i',j',c} \mathbf{K}_{m,n,o,c}$$

This operation is called **transposed** or **upscaling** convolution and stride greater than one makes the output larger, not smaller.

Transposed Convolution

Given that the transposed convolution must be implemented for efficient backpropagation of a regular convolution, it is usually available for direct usage in neural network frameworks.

It is frequently used to perform upscaling of an image, as an “inverse” operation to pooling (or convolution with stride > 1), which is useful for example in *image segmentation*:




Figure 1 of paper "U-Net: Convolutional Networks for Biomedical Image Segmentation", <https://arxiv.org/abs/1505.04597>